

AVer AW200

The AVer AW200 is perfect for large classrooms, conference rooms, auditoriums, and many other presentation environments. Equipped with 4K Ultra HD image quality and an intuitive interface, the AW200 allows you to present wirelessly with just one click. No additional software or complicated cables are required, but you have the option to achieve 5G wireless transmission by connecting BYOD devices like smartphones, tablets, and laptops through HDMI™ or USB cables. Upgrade your presentations with diverse compatibility and lightning-quick sharing!





Live Healthy Red Cells





4K Ultra HD



5G Wi-Fi



Cross-Platforn Support



AirPlay & Chromecast™ Support



Four-Way Split Scree



Reverse



3-Year Warranty

PLUG, PRESS, AND PRESENT



Just Tap & Share

The AW200 lets you share with one simple tap. No software installation is needed, which eliminates security concerns, software compatibility issues, and complicated cable configurations. When you connect smartphones, tablets, and laptops via HDMI or USB, you can transmit 5G Wi-Fi with access up to 30 meters away. Easily share important content on the display and enjoy incredible convenience, compatibility, and efficiency.



4K UHD for Presentations

Even if you're using a projector, 4K Ultra HD image quality still provides the best performance in terms of brightness, colour, and resolution. Use the AW200 to clearly show text, pictures, tables, and lag-free videos in presentations that fully engage your audience.



Four-Way Split-Screen Sharing

Supporting iOS, AndroidTM, Mac[®], Windows[®], and ChromeTM operating systems, the AW200's powerful cross-platform compatibility allows content sharing from different devices on a single display, with up to four split screens. Whether you use it for proofreading, highlighting, or group discussion, your efficiency is maximised.



Reverse Control for Touch Panels

Too far from the stage to your seat? No problem. Reverse control lets you easily operate your PC or laptop remotely, and it's especially useful when your display is a touch panel. Just use your finger as a mouse for the ultimate in efficient presenting.

Product Specifications

AW200

Part no. 40AAWB00-BDH (EU & UK sku) EAN code 4719552126002

AP200


Part no. 40AAWB00-BDK (EU & UK sku) EAN code 4719552126033

Video output	HDMI	Number of split screens	Up to 4
Output resolution	4K	Audio	HDMI, MiniDP
Wireless security	WPA / WPA2	Wireless standard	802.11ac
Wireless connectivity	AR200: 802.11ac, 2T2R	· I/O ports	AR200: RJ45, USB, HDMI out
	AP200: 802.11ac, 1T1R		AP200: RJ45, USB, HDMI, MiniDP
Ethernet	10/100/1000M, PoE supported	Display control	No
Power source	AR200: DC 5V / 2A	Power consumption	Standby: 5W (approx.)
	AP200: DC 5V / 1A		Casting: 10W (approx.)
Product dimensions (W x D x H)	AR200: 18.0 x 8.0 x 2.5 cm (without antennae)	Net weight	AR200: 153.0 g
	AP200: 8.0 x 8.0 x 2.5 cm		AP200: 136.9 g
Package dimensions (W x D x H)	25.1 x 18.0 x 8.0 cm	Reverse control for touch panels	Yes (select panels)
Working environment	Relative humidity: ≤ 80%	Platform support	Windows® 7 / 8 / 10 or later
	Operation temperature: 0 to +40°C and above		macOS® X 10.9 or later
	Storage temperature: -20 to +70°C		iOS 10 or later
Mirroring	AirPlay®		Android™ 5.0 or later
	Chromecast™		Chrome OS™ V70.0.3538.76 or later
Warranty	3 years		
Package contents	AVer AR200 x 1; AVer AP200 x 2; HDMI cables (1 m cable x 1; 30 cm cable x 2); MiniDP cables (30 cm cable x 2); 5V universal adapter x 1; Quick Start Guide x 1		

^{*} AR200: receiver; AP200: transmitter

Product Appearance

AR200 Receiver



AP200 Transmitter





©2020 AVer Information Europe B.V. All rights reserved. All brand names and logos are trademarks of their respective companies.





^{**} Specifications may vary depending on location and are subject to change without notice.