


AV600 Powerline Starter Kit

Smooth HD Streaming in Every Room












Highlights


HomePlug AV2 Standard Compliant

The HomePlug AV2 standard creates high-speed data transfer rates of up to 600Mbps to support all your online activities.



One-Button Security


Simply push the Pair button on the adapters, and quickly set up a hassle-free powerline network.



Highlights


Plug, Pair and Play!

Powerline adapters and extenders must be deployed in a set of two or more.



Internet from Any Outlet

The AV600 Powerline Starter Kit brings internet to any area with a power outlet using your home's electrical wiring.



Features



- · Ultra-fast Powerline Speed HomePlug AV2 standard compliant, high-speed data transfer rate of up to 600Mbps, ideal for Ultra HD streaming and online gaming
- · Ethernet Port The Ethernet port allows your TV, game console or PC to connect to the internet at high speed



Range

· 300 meters Range – Up to 300 meters / 1000 feet range over the existing household power circuit.



Design

· Compact Design – Small and elegant, fits your room



- · Plug, pair and play Plug, pair and play, no configuration required
- · No new wires No new wires, use existing electrical wiring to expand your home network
- · TP-Link tpPLC Allows you to easily manage your network using the tpPLC Utility



Security

· Pair Button – 128-bit AES encryption easily at a push of the "Pair" button



Energy Saving

· Power Saving – Power Saving Mode helps reducing power consumption by up to 85%

Specifications

Hardware

- · Plug Type: US
- · Standards and Protocols: HomePlug AV2, IEEE 1901, IEEE 802.3, IEEE 802.3u
- · Power Consumption: Maximum: 2.5W

Typical: 2.3W

Standby: 0.36W

- · Range: 300 meters / 1000 feet over electrical circuit
- · Button: Pair Button
- · LED Indicator: Power, Powerline, Ethernet
- · Dimensions (W x D x H): 2.6 x 2.0 x 1.1 in (65 x 52 x 28.5 mm)





For more information, please visit

http://www.tp-link.com/us/products/details/TL-PA4010KIT.html

or scan the QR code left

- * Compatible with all HomePlug AV & AV2 Standard Powerline adapters.
- * Listed HomePlug AV speeds refer to the theoretical maximum physical-layer data transfer rate. Actual data speeds vary and are influenced by the home's electrical/physical environment, and if adapters are placed on the same home circuit. ©2021 TP-Link

Software

- · Modulation Technology: OFDM (PLC)
- · Encryption: Powerline Security: 128-bit AES

Others

- · Certification: FCC, RoHS
- · Package Contents:

AV600 Powerline Adapter 2 × TL-PA4010

2 × Ethernet Cable

Quick Installation Guide

· System Requirements:

Windows 2000/XP/2003/Vista, Windows 7/8/8.1/10, Mac, Linux

· System Requirements for tpPLC Utility:

Windows 10/8.1/8/7/Vista/XP and Mac OS X (10.7 or later)

· Environment:

Operating Temperature: 0°C~40°C (32°F~104°F)

Storage Temperature: -40°C~70°C (-40°F ~158°F)

Operating Humidity: 10%~90% non-condensing

Storage Humidity: 5%~90% non-condensing